

QUARTZ SYSTEMES - NAUTIC 120 Thermal 1Z ELITE600



Product codes:

Reference: QS-NAUTIC120T1Z

EAN13: -

UPC: -

Product features:

Product short description:

NAUTIC 120 Thermal 1Z ELITE600: silhouette target depicting an unoccupied rigid inflatable boat with an outboard engine. **120 cm overall length**, **12 mm Hardox® 600 steel** and included welded armoured ground stand.

1Z thermal version: 1 heating zone on the engine, for training with thermal imaging sights. Reference: **QS-NAUTIC120T1Z**.

Product description:

NAUTIC 120 Thermal 1Z ELITE600 — Rigid Inflatable Boat Silhouette Target

The **QS-NAUTIC120T1Z** depicts an unoccupied rigid inflatable boat with an outboard engine. Its **120 cm overall length** represents a 6 m boat at **1:5 scale**, with an outboard engine resembling a 100 hp model. The slightly raised bow and waterline-cut lower profile suggest a boat in motion.

1Z thermal version

This version features **1 heating zone: the engine**. The heating zone is located on engine representation. It is designed for shooting training with thermal imaging sights.

ELITE600 construction

The target is made from **12 mm Hardox® 600 steel**. The ELITE600 range combines steel grade and thickness for high abrasion resistance, with optimisation for high-velocity projectiles such as 5.56 mm NATO / .223 Remington. Construction matches the KING GONG PICKUP ELITE600.

Setup

The target stands on the ground using its **included welded armoured ground stand**.

Power supply and indicators

Supplied with **1 removable BOSCH Professional 18V 5.0 Ah battery** and **one EU 230 V AC / 50 Hz charger**. The system is designed for quick, straightforward setup, with a heating-cycle startup indicator and a low-battery indicator. Runtime depends on battery capacity and operating conditions.

Specifications

- **Reference:** QS-NAUTIC120T1Z
- **Overall length:** 120 cm
- **Scale:** 1:5
- **Steel:** Hardox® 600
- **Thickness:** 12 mm
- **Stand:** welded and armoured, included
- **Heating:** 1 zone — the engine

Included

- One NAUTIC 120 Thermal 1Z ELITE600 target.
- One welded armoured ground stand.
- 1 BOSCH Professional 18V 5.0 Ah battery.
- One EU 230 V AC / 50 Hz charger.

Choose your version

NAUTIC 120 is available as a standard unheated target (**KG-NAUTIC120**) or a 1Z thermal target (**QS-NAUTIC120T1Z**). This product is the **1Z thermal version**.

Product gallery:
