

QUARTZ SYSTEMES - NAUTIC 120 FACE

Thermal 3Z ELITE600



Product codes:

Reference: QS-NAUTIC120FT3Z

EAN13: -

UPC: -

Product features:

Product short description:

NAUTIC 120 FACE Thermal 3Z ELITE600: front-view rigid inflatable boat target with three human silhouettes, including a helmsman. Width: **1,200 mm**. **12 mm Hardox® 600 steel**, welded armoured ground stand included.

Thermal version with **3 heating zones: one on each human silhouette**. Supplied with 2 BOSCH Professional 18V 5.0 Ah batteries and one EU 230 V AC / 50 Hz charger. Reference: **QS-NAUTIC120FT3Z**.

Product description:

NAUTIC 120 FACE Thermal 3Z ELITE600 — Front-View Rigid Inflatable Boat

The **QS-NAUTIC120FT3Z** target depicts a rigid inflatable boat viewed from the front, with **three human silhouettes: one helmsman and two passengers**, plus bales on board. Its **actual width is 1,200 mm**. This model adds a frontal view of the boat to the Nautic range.

Thermal 3Z: three heated human silhouettes

The Thermal 3Z version has **three heating zones, one on each of the three human silhouettes**. The engine is not a heated zone on this version. It is designed for shooting training with thermal imaging sights.

ELITE600 construction

The target is made from **12 mm Hardox® 600 steel**, with the same construction as the KING GONG PICKUP ELITE600. The ELITE600 range combines steel grade and thickness for high abrasion resistance. It is optimised for high-velocity projectiles, including 5.56 mm NATO / .223 Remington.

Setup

The target stands on the ground using its **included welded armoured ground stand**.

Power supply and indicators

The 3Z version uses **two removable BOSCH Professional 18V 5.0 Ah batteries, supplied**. One EU 230 V AC / 50 Hz charger is included. An indicator signals heating-cycle startup, and a low-battery indicator shows when the battery is depleted. Runtime depends on battery capacity and operating conditions.

Specifications

- **Reference:** QS-NAUTIC120FT3Z
- **View:** front
- **Width:** 1,200 mm
- **Human silhouettes:** three, including a helmsman
- **Steel:** Hardox® 600
- **Thickness:** 12 mm
- **Stand:** welded and armoured, included
- **Heating:** 3 zones, one per human silhouette

Included

- One NAUTIC 120 FACE Thermal 3Z ELITE600 target.
- One welded armoured ground stand.
- Two BOSCH Professional 18V 5.0 Ah batteries.
- One EU 230 V AC / 50 Hz charger.

Choose your version

NAUTIC 120 FACE is available as the standard **KG-NAUTIC120F** or the 3Z thermal **QS-NAUTIC120FT3Z**. This product is the **Thermal 3Z** version.

Product gallery: